

Alcohols and Alcohol Ethoxylates

Name	Chain Length	Active %	Pour Point °C	Viscosity cSt @ 40°C
Neodol® 9	C9	100	-12	-
Neodol® 91	C9-11	100	-12	9
Neodol® 23	C12-13	100	15	13
Neodol® 25	C12-15	100	20	14
Neodol® 45	C14-15	100	29	18

Name	Chain Length	EO Moles	Active%	HLB	Pour Point °C	Cloud Point °C	Viscosity cSt @ 40°C
Neodol® 9-7	C-9	7	100	13.7	7	77	22
Surfac UN30	C9-11	2.5	100	8.1	-20	36	11
Neodol® 91-5	C9-11	5	100	11.6	4	32	18
Neodol® 91-6	C9-11	6	100	12.5	6	54	21
Surfac UN65/95	C9-11	6	95	12.5	6	54	21
Neodol® 91-8	C9-11	8	100	13.7	16	82	27
Surfac UN90/90	C9-11	8	90	13.7	16	82	27
Surfac UN120	C9-11	12	100	15.3	25	70 (1% in 10% NaCl)	30 (@ 50°C)
Surfac UN120/80	C9-11	12	80	15.3	25	70 (1% in 10% NaCl)	30 (@ 50°C)
Surfac LM30	C12-15	3	100	8	5	54	12
Neodol® 25-5	C12-15	5	100	10.3	16	70	38
Neodol® 25-7	C12-15	7	100	12.2	20	49	32
Surfac LM70/90	C12-15	7	90	12.2	20	49	32
Surfac LM90	C12-15	9	100	13.2	28	68	-
Surfac LM90/85	C12-15	9	85	13.2	28	68	-
Neodol® 45-7	C14-15	7	100	11.8	24	45	35

