COREL PHARMA CHEM

ACRYPOL 941 POLYMER

Page 1 of 7

Revision Date: 19/April/2017

Prepared according to 29CFR 1910.1200.

Section 1 Chemical Product and Company Identification

COREL PHARMA CHEM

Near Railway Crossing, Thol Road, Kadi, Mehsana

Gujarat, India Tel: 02764-24223

Product Trade Name ACRYPOL 941 POLYMER

Generic Chemical Name Polyacrylic acid

Ingredients Acrylic Polymer (>98 %)

Synonyms Carbomer 941
CAS Number 9003-01-4
H.S. CODE 3906.9090
Product Type Not applicable.

Transportation Emergency FOR TRANSPORT EMERGENCY call Mr. K.R.

Patel Phone No. 91-8000880011 / 22 /33

MSDS No. MSDS/QAD/015/17-18

Section 2 Hazards Identification

Appearance White powders
Odor Slight acetic
Principal Hazards Caution.

Dusts may be harmful if inhaled

See Section 11 for complete health hazard information.

Section 3 Composition/information on ingredients

Hazardous Ingredients This material contains no ingredients requiring

disclosure under regulatory hazard criteria for this jurisdiction. See Section 11for additional details.

Section 4 First Aid Measures

Eyes: Immediately flush eyes with plenty of one percent (1%) physiological

saline solution for five (5) minutes while holding eyelids open. If no

COREL PHARMA CHEM

ACRYPOL 941 POLYMER

Page 2 of 7

Revision Date: 19/April/2017

saline is available, flush with plenty of clean water for fifteen (15) minutes. See a physician. Water (Moisture) swells this product into a gelatinous film which may be difficult to remove from the eye using

only water.

Skin: Wash with soap and water. Get medical attention if irritation develops.

Launder contaminated clothing before reuse.

Inhalation: Remove exposed person to fresh air if adverse effects are observed. If

breathing is labored, administer oxygen. If breathing has stopped, apply

artificial respiration. If irritation persists or if toxic symptoms are

observed, get medical attention.

Oral : Treat symptomatically. Get medical attention.

Additional: Note to

Information

Note to physician: Treat symptomatically.

Section 5 Fire Fighting Measures

Flammability: Not Applicable

Class

Flash Point : Not Applicable

Extinguishing: CO2, dry chemical, foam, water spray, water fog. Carbon dioxide

Media may be ineffective on larger fires due to a lack of cooling

capacity which may result in re-ignition. Avoid hose stream or any

method which will create dust clouds.

Firefighting: Wear full protective fire-gear including self-containing breathing

Procedure apparatus operated in the positive pressure mode with full face-

piece, coat, pants, gloves and boots.

Unusual Fire: Solid does not readily release flammable vapors. Material can form

& Explosion Hazards an explosive organic dust air mixture.

See section 10 for additional information.

Fire and Explosive Properties

Min. Explosive Concentration : 130 g/m^3 Minimum ignition energy : > 0.03 joulesDeflagration Index, Kst (estimate) : 130 bar m/sec

Volume resistivity : $3.24 \times 10+16$ ohm-cm Maximum rate of pressure rise : $380 \text{ bars } @ 500 \text{ g/m}^3$ Maximum explosion pressure : $4.8 \text{ bars } @ 500 \text{ g/m}^3$

Explosion Severity : 2.02 (Severe) Ignition temperature of dust cloud : 520° C(968 °F)

COREL PHARMA CHEM

ACRYPOL 941 POLYMER

Page 3 of 7

Revision Date: 19/April/2017

Section 6 **Accidental Release Measures**

Spill Procedures: Personal Protective Equipment must be worn, see Personal

Section for **PPE** Protection recommendations. precautions to avoid release to the environment. Prevent entry into sewers and waterways, dispose of in accordance with all federal, state and local environmental regulation. Pick up free solid for recycle and/or disposal. Avoid raising a dust. Wash spill area with

detergent. Material is slippery when wet.

Section 7 Handling and Storage

Pumping Temperature: Not applicable. Maximum Handling : Not determined.

Temperature

Handling Procedures: Keep material away from heat, sparks, pilot lights, static electricity

and open flame. Avoid creating dust. Maintain good housekeeping practices. Do not discharge into drains or the environment, dispose

to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Avoid drinking, tasting, swallowing or ingesting this product. Avoid inhalation of dust, aerosol, mist, spray, fume, or vapor. Use with

appropriate and adequate ventilation. Avoid contact with eyes, skin and clothing. Ground and bond containers when transferring material. Avoid prolonged skin contact. Launder contaminated clothing before reuse. Dispose of packaging or containers in accordance with local, regional, national and international

regulations.

Maximum Storage:

Not determined.

Temperature

Storage Procedures: Store in a cool, dry, well-ventilated area. Keep container closed

when not in use. See section 10 for incompatible materials.

Maximum Loading:

Not determined.

Temperature

Section 8 Exposure Controls/Personal Protection

Exposure Limits: None established

Other Exposure: The industry-recommended permissible exposure limit for

respirable polyacrylate dusts is 0.05 mg/m³. limit

COREL PHARMA CHEM

ACRYPOL 941 POLYMER

Page 4 of 7

Revision Date: 19/April/2017

Engineering : If use generates a dust, local exhaust ventilation is recommended.

Control Prevent inhalation by providing effective general and, when

necessary, local exhaust ventilation to draw dust away from

workers. Avoid high concentrations of dust in air and accumulation

of dust on equipment.

Gloves Procedures: Use good industrial hygiene practices to avoid skin contact. If

contact with the material may occur wear chemically protective

gloves.

Eye Protection : Safety glasses or goggles.

Respiratory : Use dust masks and depending upon your specific use, appropriate

Protection respirator can be used with all applicable regulations.

Clothing : Long sleeve shirt is recommended.

Recommendation

Section 9 Physical and Chemical Properties

Flash Point : Not applicable.
Upper Flammable Limit : Not determined.
Lower Flammable Limit : Not determined.
Auto-ignition Point : 520 °C, 968 °F

Explosion Data : Dust can form explosive mixtures in the air.

Vapor Pressure : Not determined.

pH : 2.5 - 3 at 1% in water

Specific Gravity : $1.4 (20 \,^{\circ}\text{C})$ Bulk Density : $< 0.24 \, \text{Kg/L}$

Water Solubility : Material will swell in water.

Percent Solid : > 98% By Weight

Percent Volatile : < 2% By Weight

Volatile Organic Compound : Not determined.

Vapor Density : Not determined.

Evaporation Rate : Not determined.

Odor : Slight acetic

Appearance : White.

Viscosity : <10000 Centipoise (25 °C).

Odor Threshold : Not determined.
Boiling Point : Not determined.
Pour Point Temperature : Not determined.
Melting / Freezing Point : Not determined.

MATERIAL SAFETY DATA SHEET COREL PHARMA CHEM

ACRYPOL 941 POLYMER Page 5 of 7

Revision Date: 19/April/2017

Section 10	Stability and Reactivity
Stability:	: Material is normally stable at moderately elevated temperatures and pressures.
Decomposition	: Not determined.
Temperature	
Incompatibility	: Heat may be generated if polymer comes in contact with strong basic materials like ammonia, sodium hydroxide or strong basic amines.
Polymerization	: Will not occur.
Thermal	: Smoke, carbon monoxide, carbon dioxide, aldehydes and other
Decomposition	products of incomplete combustion.
Conditions to Avoid	: Not Determined.

Section 11	Toxicological Information
	ACUTE EXPOSURE –
Eye Irritation	: Not expected to cause eye irritation. Based on data from
	components or similar materials. Particulates may cause
	mechanical irritation. Solid particles (powder or dust) on the eye
	may cause pain and irritation.
Skin Irritation	: Not expected to be a primary skin irritant. Based on data from
	components or similar materials.
Respiratory Irritation	: Breathing of dust may cause coughing, mucous
	production, and shortness of breath.
Dermal Toxicity	: Rabbit LD50>5000 mg/kg. Based on data from
	components or similar materials.
Inhalation Toxicity	: Avoid inhalation of dust. Animal studies indicate the
	inhalation of respirable polyacrylate dust may cause
	inflammatory changes in the lung.
Oral Toxicity	: Rat LD50>5000 mg/kg. Based on data from
	components or similar materials.
Dermal Sensitization	: Not expected to cause skin sensitization. Based on data
	from components or similar materials.
Inhalation Sensitization	on: No data available to indicate product or components may
	be respiratory sensitizers.

COREL PHARMA CHEM

ACRYPOL 941 POLYMER

Page 6 of 7

Revision Date: 19/April/2017

-- CHRONIC EXPOSURE -

Chronic Toxicity : There were no observed adverse effects at exposures of

0.05 mg/m3. However, the inhalation of respirable dusts should be avoided by implementing respiratory protection measures and observing the recommended permissible

exposure limit of 0.05 mg/m3.

Carcinogenicity : Not listed as a carcinogen or suspect carcinogen by

OSHA.

Mutagenicity : No data available to indicate product or any components

present at greater than 0.1% are mutagenic or genotoxic.

Reproductive Toxicity : No data available to indicate either product or components

present at greater than 0.1% that may cause reproductive

toxicity.

Teratogenicity : No data available to indicate product or any components

contained at greater than 0.1% may cause birth defects.

-- ADDITIONAL INFORMATION -

Other : Pre-existing skin conditions may be aggravated by

prolonged or repeated exposure. Persons with sensitive airways (e.g.,asthmatics) may react to vapors. This material readily absorbs moisture and may become thick and gelatinous upon contact with mucous membranes of

the eye, or upon inhalation into the nasal passages.

Section 12 Ecological Information

Freshwater Fish Toxicity : The acute LC₅₀ is 100-1000 mg/l based on

literature.

Freshwater Invertebrates toxicity: The acute EC₅₀ is 100-1000 mg/l based on literature.

This product is not biodegradable; do not inhibit waste treatment bacteria; and do not pass through typical waste water treatment to the environment.

Section 13 Disposal Considerations

Waste Disposal : This material, if discarded, is a hazardous waste under

RCRA Regulation 40 CFR 261. Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

COREL PHARMA CHEM

ACRYPOL 941 POLYMER

Page 7 of 7

Revision Date: 19/April/2017

Pack Size: 20 kg & 5 kg

Not a dangerous good within the meaning of transportation regulations.

Section 15	Regulatory Information
SARA Ext. Haz. Sub	st. : This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous
a	Substances list.
SARA Section 313	: This product does not contain greater than 1.0% (greater than 0.1% for carcinogenic substance) of any chemical
	substances listed under SARA Section 313.

SARA 311 Classifications :

Acute Hazard	No
Chronic Hazard	No
Fire Hazard	No
Reactivity Hazard	No

Section 16	Other Information

The information set forth herein has been gathered from standard reference materials and / or Corel Pharma Chem test data. The information containing herein is based on the present state of our knowledge and is intended to describe our product from the view of safety requirements. It should not therefore be construed as guaranteeing specific properties.

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation. Safe handling and use remain the responsibility of the user.